

---

---

---

# AMERICAN NATIONAL STANDARD

## **Specification for Audiometers**

---

---

---

ANSI/ASA S3.6-2018

Accredited Standards Committee S3, Bioacoustics

---

Standards Secretariat  
Acoustical Society of America  
1305 Walt Whitman Road, Suite 300  
Melville, NY 11747

This is a preview. [Click here to purchase the full publication.](#)

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to generate, disseminate, and promote the knowledge and practical applications of acoustics.



This is a preview. [Click here to purchase the full publication.](#)

**ANSI/ASA S3.6-2018**  
(Revision of ANSI/ASA S3.6-2010)

AMERICAN NATIONAL STANDARD  
**Specification for Audiometers**

**Secretariat:**

**Acoustical Society of America**

**Approved on September 20, 2018, by:**

**American National Standards Institute, Inc.**

**Abstract**

The audiometers covered in this specification are devices designed for use in determining the hearing threshold level of an individual in comparison with a chosen standard reference threshold level. This standard provides specifications and tolerances for pure tone, speech, and masking signals and describes the minimum test capabilities of different types of audiometers.

This is a preview. [Click here to purchase the full publication.](#)

## AMERICAN NATIONAL STANDARDS ON BIOACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).

These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the Accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America  
ASA Secretariat  
1305 Walt Whitman Road, Suite 300  
Melville, New York 11747  
Telephone: 1 (631) 390-0215  
Fax: 1 631-923-2875  
E-mail: [asastds@acousticalsociety.org](mailto:asastds@acousticalsociety.org)

© 2018 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

This is a preview. [Click here to purchase the full publication.](#)

## Contents

1	Scope, purpose, and applications .....	1
1.1	Scope .....	1
1.2	Purpose .....	1
1.3	Applications .....	1
2	Normative references .....	1
3	Terms and definitions .....	3
4	Requirements for specific types of audiometers .....	8
4.1	Type and class designation .....	8
5	General requirements .....	9
5.1	Electrical safety requirements .....	9
5.2	Acoustic safety requirements .....	9
5.3	Power supply variation and environment conditions .....	9
5.4	Unwanted acoustic signals .....	11
5.5	Subject response system .....	13
5.6	Monitor earphone or loudspeaker .....	13
5.7	Operator and test subject speech communications .....	13
6	Signal sources .....	14
6.1	Pure-tone source .....	14
6.2	Speech source .....	17
6.3	Masking sounds .....	19
7	Signal level controls .....	21
7.1	Marking .....	21
7.2	Accuracy of sound pressure and vibratory force level for pure-tone and speech .....	21
7.3	Hearing level control .....	22
7.4	Masking sound level control .....	22
7.5	Tone switching .....	23
8	Reference signal facilities .....	25
8.1	Frequencies .....	25
8.2	Reference signal level control .....	25
9	Transducer calibration (specifications, RETSPLs, and RETFLs) .....	25
9.1	Air-conduction supra-aural earphones .....	26
9.2	Air conduction, circumaural earphones .....	27
9.3	Air conduction, insert earphones .....	28
9.4	Bone conduction .....	32
9.5	Sound field produced via loudspeakers .....	33
10	Device marking and instruction manual .....	36
10.1	Marking .....	36
10.2	Instruction manual .....	36
	Annex A (normative) Correction figures for free-field equivalent output for certain types of commonly used earphones .....	38
	Annex B (normative) Recordings of speech test material .....	40

Annex C (normative) Calibration of circumaural earphones for extended high-frequency testing.....	41
C.1 General.....	41
C.2 Calibration .....	41
C.3 Microphone.....	41
C.4 Adapters for making extended high-frequency measurements on an IEC 60318-1 ear simulator.....	41
C.5 Coupler configurations using a Type 1 adapter .....	41
C.6 Coupler configuration using a Type 2 adapter .....	44
C.7 Environmental conditions .....	44
C.8 References .....	44
Annex D (informative) Procedures for transfer of reference equivalent threshold values .....	45
D.1 General.....	45
D.2 Probe-tube method .....	45
D.3 Loudness-balance method.....	46
D.4 Threshold-determination method .....	46
D.5 Standard reference earphone with other-than-specified coupler.....	46
D.6 Standard earphones with other-than-specified cushions.....	47
D.7 Earphone and coupler both different from standard types.....	47
Annex E (informative) Audiogram format .....	48
E.1 General.....	48
E.2 Reference levels .....	48
E.3 Vertical scale .....	48
E.4 Horizontal scale.....	48
E.5 Scale proportions .....	48
Annex F (informative) Supra-aural cushions for earphones.....	49
Annex G (informative) Requirements for periodic calibration.....	51
G.1 Minimum periodic calibration requirements .....	51
G.2 Routine checking and subjective tests.....	51
G.3 Equipment needed to perform audiometer calibrations .....	55
G.4 Calibration of test equipment .....	55

## Tables

Table 1 — Minimum required facilities for specific type and class of audiometers.....	8
Table 2a — Required frequencies and hearing levels for various audiometers .....	15
Table 2b — Required frequencies and hearing levels for EHF audiometers.....	15
Table 3 — Maximum permissible harmonic distortion, expressed in percent.....	16
Table 4 — Narrowband masking noise: upper and lower cut-off frequencies and correction factors for determining RETSPLs.....	20
Table 5 — Reference equivalent threshold sound pressure levels (RETSPLs) (dB re 20 $\mu$ Pa) for supra-aural earphones in common use .....	27

Table 6 — Reference equivalent threshold sound pressure levels (RETSPLs) (dB re 20 $\mu$ Pa) for circumaural earphones.....	28
Table 7a — Reference equivalent threshold sound pressure levels (RETSPLs) (dB re 20 $\mu$ Pa) for ER-3A, ER-3C, RadioEar IP30 and EARTone 3A insert earphones.....	30
Table 7b — Reference equivalent threshold sound pressure levels (RETSPLs) (dB re 20 $\mu$ Pa) for ER-2 insert earphones for use at Extended High Frequency .....	31
Table 8 — Reference equivalent threshold force levels (RETFLs) for bone vibrators.....	33
Table 9a — Reference equivalent threshold sound pressure levels (RETSPLs) (dB re 20 $\mu$ Pa) for binaural listening in a sound field and the ear closest to the loudspeaker .....	35
Table 9b — Reference equivalent threshold sound pressure levels (RETSPLs) (dB re 20 $\mu$ Pa) for speech signals for binaural listening in a sound field and the ear closest to the loudspeaker (all values were rounded to the nearest 0.5 dB).....	36
Table A.1 — Difference between the free-field equivalent sensitivity level $G_F$ and the coupler or acoustic coupler or ear simulator level $G_C$ for two types of earphones.....	39

## Figures

Figure 1 — Rise/fall envelope of test tones.....	24
Figure 2 — Coupling of the insert earphone to the calibration coupler. Figure 2(a) shows an occluded ear simulator (as described in ANSI/ASA S3.25 and IEC 60318-4 (formerly IEC 60711)), see subclause 9.3.1; Figure 2(b) an HA-2 acoustic coupler with rigid tube attachment (as described in ANSI/ASA S3.55/Part 5/IEC 60318-5 MOD), see subclause 9.3.2; and Figure 2(c) an HA-1 acoustic coupler (as described in ANSI/ASA S3.55/Part 5/IEC 60318-5 MOD), see subclause 9.3.3 .....	29
Figure 3 – Loudspeaker angle of incidence for use in a sound field.....	34
Figure C.1 — Type 1 adapter for use with IEC 60318-1 ear simulator .....	42
Figure C.2 — Position of Type 1 adapter on the IEC 60318-1 ear simulator.....	42
Figure C.3 — Type 2 adapter for use with IEC 60318-1 ear simulator .....	43
Figure C.4 — Position of Type 2 adapter on the IEC 60318-1 ear simulator.....	43
Figure F.1 — Earphone supra-aural cushion MX41/AR.....	49
Figure F.2 — Earphone supra-aural cushion Type 51 .....	50